ADVANCED DRUG DELIVERY REVIEWS

Vol. 23, Nos. 1–3 **CONTENTS** **15 January 1997**

Cited in: *Biological Abstracts; BIOSIS; Chemical Abstracts; CABS Office/Current Awareness in Biological Sciences; Current Contents/Life Sciences; Engineering Information, Inc.; Excerpta Medica (EMBASE); Maro Polymer Notes; Research Information Systems, Inc.*

Theme Title: IN VITRO MODELS FOR SELECTION OF DEVELOPMENT CANDIDATES

P. Smith (USA)
Preface 1

C.A. Lipinski, F. Lombardo, B.W. Dominy and P.J. Feeney (USA)
Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings 3

B.H. Stewart, O.H. Chan, N. Jezyk and D. Fleisher (USA)
Discrimination between drug candidates using models for evaluation of intestinal absorption 27

C.-P. Lee, R.L.A. de Vrueh and P.L. Smith (USA, The Netherlands)
Selection of development candidates based on in vitro permeability measurements 47

A.H. Dantzig (USA)
Oral absorption of β-lactams by intestinal peptide transport proteins 63

L.-S.L. Gan and D.R. Thakker (USA)
Applications of the Caco-2 model in the design and development of orally active drugs: elucidation of biochemical and physical barriers posed by the intestinal epithelium 77

H. Ellens, E.P. Eddy, C.-P. Lee, P. Dougherty, A. Lago, J.-N. Xiang, J.D. Elliott, H.-Y. Cheng, E. Ohlstein and P.L. Smith (USA)
In vitro permeability screening for identification of orally bioavailable endothelin receptor antagonists 99

A.W. Baird, C.T. Taylor and D.J. Brayden (Ireland)
Non-antibiotic anti-diarrhoeal drugs: factors affecting oral bioavailability of berberine and loperamide in intestinal tissue 111

O.H. Chan, M.W. Sinz and B.H. Stewart (USA)
Multiple-model evaluation of absorption of a tachykinin receptor antagonist 121

J.M. Samanen, C.-P. Lee, P.L. Smith, W.E. Bondinell, R.R. Calvo, D.R. Jakas, K.A. Newlander, M. Parker, I. Uzinskas, T.O. Yellin and A.J. Nichols (USA)
The use of rabbit intestinal permeability as an in vitro assay in the search for orally active GPIIb/IIIa antagonists 131

(continued on p. 257)

0169-409X(19970115)23:1:3;1-3

5000

P.S. Burton, J.T. Goodwin, R.A. Conradi, N.F.H. Ho and A.R. Hilgers (USA)
In vitro permeability of peptidomimetic drugs: the role of polarized efflux pathways as additional barriers to absorption 141

W. Rubas and M.E.M. Cromwell (USA)
The effect of chemical modifications on octanol/water partition (log D) and permeabilities across Caco-2 monolayers 155

E.L. LeCluyse and S.C. Sutton (USA)
In vitro models for selection of development candidates. Permeability studies to define mechanisms of absorption enhancement 161

E.P. Eddy, B.E. Maleef, T.K. Hart and P.L. Smith (USA)
In vitro models to predict blood–brain barrier permeability 183

G.M. Grass (USA)
Simulation models to predict oral drug absorption from in vitro data 197

P. Lundahl and F. Beigi (Sweden)
Immobilized liposome chromatography of drugs for model analysis of drug–membrane interactions 219

C.Y. Yang, S.J. Cai, H. Liu and C. Pidgeon (USA)
Immobilized Artificial Membranes — screens for drug membrane interactions 229